

# K7GCUS05TT

TOP GAS RANGE 2 BURNERS - SOLUTION LINE



## PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs.

Heating by means of **cast-iron, sealed, stabilised flame and superimposed double crown burners with different power ratings (max. 6.5 kW and 7.7 kW).**

Each burner is provided with a safety gas cock, which enables the output to be regulated from maximum to minimum. Safety ensured by a thermocouple kept active by the flame of the burner.

**Surface grids made of alkali, acid and fire resistant matt RAAF enamelled cast iron.**

Surface grids placed on moulded surfaces with rounded edges and burners hermetically sealed at the top for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

**Height-adjustable** stainless steel legs.

Tested with natural gas or LPG, according to the user's needs.

Accessories available on **demand**.



## TECHNICAL SPECIFICATIONS

**Width:** 400 mm  
**Depth:** 700 mm  
**Height:** 265 mm  
**Weight:** 20 kg  
**Volume:** 0.21 m<sup>3</sup>  
**Gas power:** 14.20 kW



## K7GCUS05TT

CUCINA GAS 2 FUOCHI DA BANCO / FOURNEAU À GAZ 2 BRÛLEURS À POSER / TOP GAS RANGE 2 BURNERS TABLE TOP / GASHERD 2 KOCHSTELLEN TISCHGERÄT / COCINAS A GAS 2 QUEMADORES DE BANCO / ГАЗОВАЯ ПЛИТА С 2 КОНФОРКАМИ НАСТОЛЬНАЯ

**DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ**

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	400x700x265
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	14,2
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	0,986
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	1,503
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	28,4
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Brucciatore / Bruleur / Burner / Brenner/Quegador / Горелка (C)	[kW] [кВт]	1 x 6,5
Brucciatore / Bruleur / Burner / Brenner/Quegador / Горелка (D)	[kW] [кВт]	1 x 7,7

A	K7GCUS05TT	<table border="1"> <tr><td>6,5 kW</td></tr> <tr><td>7,7 kW</td></tr> </table>	6,5 kW	7,7 kW				
	6,5 kW							
7,7 kW								
K7GCUS05TTPI	<table border="1"> <tr><td>6,5 kW</td></tr> <tr><td>8,2 kW</td></tr> </table>	6,5 kW	8,2 kW					
6,5 kW								
8,2 kW								
B	K7GCUS10TT	<table border="1"> <tr><td>6,5 kW</td><td>7,7 kW</td></tr> <tr><td>7,7 kW</td><td>6,5 kW</td></tr> </table>	6,5 kW	7,7 kW	7,7 kW	6,5 kW		
	6,5 kW	7,7 kW						
7,7 kW	6,5 kW							
K7GCUS10TTPI	<table border="1"> <tr><td>6,5 kW</td><td>8,2 kW</td></tr> <tr><td>8,2 kW</td><td>6,5 kW</td></tr> </table>	6,5 kW	8,2 kW	8,2 kW	6,5 kW			
6,5 kW	8,2 kW							
8,2 kW	6,5 kW							
C	K7GCUS15TT	<table border="1"> <tr><td>6,5 kW</td><td>7,7 kW</td><td>6,5 kW</td></tr> <tr><td>7,7 kW</td><td>6,5 kW</td><td>7,7 kW</td></tr> </table>	6,5 kW	7,7 kW	6,5 kW	7,7 kW	6,5 kW	7,7 kW
	6,5 kW	7,7 kW	6,5 kW					
7,7 kW	6,5 kW	7,7 kW						
K7GCUS15TTPI	<table border="1"> <tr><td>6,5 kW</td><td>8,2 kW</td><td>6,5 kW</td></tr> <tr><td>8,2 kW</td><td>6,5 kW</td><td>8,2 kW</td></tr> </table>	6,5 kW	8,2 kW	6,5 kW	8,2 kW	6,5 kW	8,2 kW	
6,5 kW	8,2 kW	6,5 kW						
8,2 kW	6,5 kW	8,2 kW						

G = Gas / Gaz / Gas / Gas / Gas / газ