

AT1001

HOOD TYPE DISHWASHER - TOTAL POWER 6,8 KW



PRODUCT DESCRIPTION

PRODUCTIVE WHILE SAVING ENERGY

Stainless steel structure and tank AISI 304. **Wash tank with rounded edges**, thus ensuring the complete drainage of dirty water. Upper and lower rotating wash and rinse arms.

Surface filters covering the whole tank.

Temperature thermometer. Possibility to change the cycle parameters.

Ergonomic control panel in order to make the temperatures and the different working steps easily recognizable.

The programmable **THERMOLOCK** system ensures that the rinsing cycle starts only at the temperature of 85°C: the ideal temperature for strongly reducing the bacterial load.

Stainless steel heating elements, resistant to corrosion and limescale.

Suitable for line or corner installations. Height-adjustable legs. Hood lifting thanks to springs.

The washing cycle starts only when the hood is completely closed. The appliance stops working if the hood is lifted by chance.

Standard equipped with built-in rinse aid dispenser for the best drying results. **Standard equipped** with built-in connection for detergent dispenser.

Standard equipped with built-in connection for drain pump. **Standard equipped** with built-in connection for WiFi module.

Wide range of options available **on demand**. **Standard equipped** with a basket for plates and a basket for cups.

Does the right mix between high productivity and remarkable energy savings exist? Yes, and the model AT1001 is the answer. You can wash up to 1100 plates/hour and save energy and detergent thanks to its 20 lt. washing tank.

Highly resistant and anti-scratch capacitive display, designed to bear with any modern kitchen stress.



TECHNICAL SPECIFICATIONS

Width: 610 mm
Depth: 760 mm
Height: 1465 mm
Volume: 0.67 m³
Rack dimensions: 500x500 mm
Useful height: 400
Working cycles: 8
Electrical power: 6.80 kW
Electric power: 230 V / 3 - 400 V / 3+N/ 50-60 Hz
Dishes/Hour: 1080-108

